



FREE TO SHINE

OFF-GRID


LED SOLAR AREA LIGHT
8W AND 30W OPTIONS

The Solera Solar Lighting Area Light features an all-in-one design. The solar panel, light engine and battery are built right into the LED fixture. No need for a power source, which eliminates the need for wiring and trenching.



- 8W comparable to 70W HID
- Fully programmable via remote control w/ motion sensor and photo control
- Built-in battery power indicator
- Advanced new LiFePO4 battery lasts at least 2000 charge cycles and will last three nights with one day charge (motion sensing mode)
- Perfect for parks, parking lots, school campuses, etc.
- Dimensions (L x W x H): 8W - 20" x 12" x 3"

PART #	UPC	COMPARABLE TO	LUMENS	CCT	EPA
RP-SAL-8W-50K-SF-GY-G1	844006049805	70W HID	1600	5000K	1.824
RP-SAL-30W-50K-SF-GY-G1	844006011260	250W HID	6000	5000K	4.788
TURTLE FRIENDLY SERIES					
RP-SAL-8W-AMB-SF-GY-G1	844006024376	70W HID	284	580nm AMBER	1.824
RP-SAL-30W-AMB-SF-GY-G1	844006024383	250W HID	806	580nm AMBER	4.788



solera-solar.com • 847.380.3540

LIGHT EFFICIENT DESIGN HEADQUARTERS 188 S. Northwest Highway • Cary, IL 60013
INNOVATION & MANUFACTURING CENTER 30 Log Bridge Road, Building 200 • Middleton, MA 01949
847.380.3540 • led-llc.com

08.06.20 Information is subject to change without notice.



PART NUMBER BUILDER

MFR	PRODUCT	WATTAGE	COLOR	BRACKET	HOUSING COLOR	GEN
RP	SAL		50K	SF	GY	G1

ORDERING EXAMPLE

RP-SAL-8W-50K-SF-GY-G1

8W
30W

SF=adjustable slip-fitter bracket GY=Grey

PLEASE NOTE, THE LEDSAL COMES STANDARD WITH THE ADJUSTABLE SLIP-FITTER BRACKET ONLY. SEE ORDERING GUIDE FOR ADDITIONAL BRACKETS AVAILABLE FOR PURCHASE.

ORDERING GUIDE

CASE QTY	QUICK SHIP	DLC	REMPHOS PART #	QUICK SHIP UPC CODE	LUMEN OUTPUT (LM)	WATTAGE (W)	LPW	WARRANTY (YRS)	RECOMMENDED MOUNTING HEIGHT (FT)
1		N/A	RP-SAL-8W-30K-SF-GY-G1	844006011277	1600	8	200	5	UP TO 15FT
1		N/A	RP-SAL-8W-40K-SF-GY-G1	844006011260	1600	8	200	5	UP TO 15FT
1	●	N/A	RP-SAL-8W-50K-SF-GY-G1	844006011260	1600	8	200	5	UP TO 15FT
1		N/A	RP-SAL-30W-30K-SF-GY-G1	844006011260	6000	30	200	5	UP TO 30FT
1		N/A	RP-SAL-30W-40K-SF-GY-G1	844006011260	6000	30	200	5	UP TO 30FT
1	●	N/A	RP-SAL-30W-50K-SF-GY-G1	844006011277	6000	30	200	5	UP TO 30FT

ADDITIONAL BRACKETS MUST BE PURCHASED SEPARATELY.

REMPHOS PART #	DESCRIPTION
RP-SAL-BKT-8W-RP-G1	Round pole bracket for 8W
RP-SAL-BKT-8W-SP-G1	Square pole bracket for 8W
RP-SAL-BKT-8W-TN-G1	Trunnion bracket for 8W
RP-SAL-BKT-30W-RP-G1	Round pole bracket for 30W
RP-SAL-BKT-30W-SP-G1	Square pole bracket for 30W
RP-SAL-BKT-30W-TN-G1	Trunnion bracket for 30W
RP-SAL-REMOTE-G1	RP-SAL-REMOTE-G1 (remote is included standard with each fixture ordered)
RP-SAL-BIRDGUARD	Stops birds from perching, landing or roosting on the fixture



ADJUSTABLE SLIP-FITTER
BRACKET (SF)
(included w/quick ship models)




ROUND POLE BRACKET (RP)



SQUARE POLE BRACKET (SP)









TRUNNION BRACKET (TN)



BIRD GUARD



BRACKET GUIDE

ITEM	FIXED ARM MOUNTING	SLIP FITTER MOUNTING	U-TRUNNION MOUNTING	SQUARE-HOOP MOUNTING	ROUND -HOOP MOUNTING
8W SOLAR STREETLIGHT			 1. WALL MOUNTED 2.SQUARE POLE ABOVE 3.94"	 1. ROUND POLE: 1.96"– 3.54" 2.SQUARE POLE: 1.96"– 3.54"	 1. ROUND POLE: 1.96"– 4.33"
30W SOLAR STREETLIGHT	1.77"– 2.63"	1.77"– 2.63"	 1. WALL MOUNTED 2.SQUARE POLE ABOVE 4.72"	 1. ROUND POLE: 2.36"– 3.94" 2.SQUARE POLE: 1.97"– 3.94"	 1. ROUND POLE: 1.96"– 4.72"

solera-solar.com • 847.380.3540


LIGHT EFFICIENT DESIGN HEADQUARTERS 188 S. Northwest Highway • Cary, IL 60013
INNOVATION & MANUFACTURING CENTER 30 Log Bridge Road, Building 200 • Middleton, MA 01949
847.380.3540 • led-llc.com

08.06.20 Information is subject to change without notice.




SEE INSTRUCTION MANUAL FOR MORE DETAILS ON THE AVAILABLE PROGRAMS

PHOTOMETRICS



8W

Replaces up to 70W HID



30W

Replaces up to 250W HID

